



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/251,638	02/17/1999	HENRY DANIELL	922.6641P	3456

35811 7590 08/27/2003

IP DEPARTMENT OF PIPER RUDNICK LLP
3400 TWO LOGAN SQUARE
18TH AND ARCH STREETS
PHILADELPHIA, PA 19103

EXAMINER

KUBELIK, ANNE R

ART UNIT	PAPER NUMBER
----------	--------------

1638

DATE MAILED: 08/27/2003

74

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 1638

1. The reply filed on 12 June 2003 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): A complete set of corrected drawings were not sent. The objection to the drawings in the Office action of 10 December 2002 stated that the objection would not be held in abeyance.

Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anne R. Kubelik, whose telephone number is (703) 308-5059. The examiner can normally be reached Monday through Friday, 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amy Nelson, can be reached at (703) 306-3218. The Official fax phone number is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to Customer Service at (703) 308-0198.

Anne R. Kubelik, Ph.D.
August 12, 2003



AMY J. NELSON, PH.D
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600